Mobilgrease MP

Lithium Automotive Grease



Product Description

Mobilgrease MP is a high quality multipurpose, NLGI 2 grade, lithium hydroxystearate grease based on an ISO VG 150 mineral oil. It is formulated to provide added protection against rusting and water washout in general purpose automotive applications at moderate temperature and load.

Benefits/Advantages

- Wide operating temperature range.
- Good resistance to water washout.
- Extra protection against rust and corrosion.
- · Good pumpability in centralized systems.
- Excellent structural stability.
- · Lead, chlorine and nitrite free.

Application

Mobilgrease MP is recommended for the lubrication of automotive chassis components, wheel bearings, clutch bearings, universal joints and ball joints of steering and suspension systems of passenger cars, trucks, farm tractors and most other types of mobile equipment operating under moderate conditions. The recommended operating temperature range of Mobilgrease MP is -20°C to 120°C. In applications where heavy or shock loading is a factor, extreme pressure greases are preferred.



Typical Properties

Mobilgrease MP

NLGI Grade

2

Soap Type

Lithium

Color

Medium Brown

Structure

Smooth

Penetration, Worked

Dropping Point, °C

280 180

Viscosity of Oil

cSt at 40°C

150

Emcor Distilled Water

0-0

Washout Test

Health and Safety

Based on available toxicological information, this product produces no adverse effects on health when properly handled and used. No special precautions are suggested beyond attention to good personal hygiene, including laundering oil-soaked clothing and washing skin contact areas with soap and water. Additional health and safety information on this product, including Material Safety Data Bulletins, is available on request from your local ExxonMobil company.

ExxonMobil	Middle	East	Marketing	Corporation
P O Box 33360	Dubai I	ILAE	_	

Mobilgrease MP

P. O. Box 33369, Dubai, U.A.E.

November 2003 All rights reserved

Due to continual product research and development, the information contained herein is subject to change without notice.