Material Safety Data Sheet



1. Identification of the material and supplier

Product name Enersyn LPS-PO 68

SDS no. 402043

Product use Refrigerator compressor lubricant.

For specific application advice see appropriate Technical Data Sheet or consult our company

representative.

Supplier BP Australia Pty Ltd (ABN 53 004 085 616)

717 Bourke Street Docklands VIC 3008

Australia

Tel: +61 (03) 9268 4111 Fax: +61 (03) 9268 3321

EMERGENCY TELEPHONE

NUMBER

+61 2801 44558 (or 1800 14 14 74 within Australia)

OTHER PRODUCT INFORMATION

Technical Help Line 1 300 139 700 (Local Call)

Product code 402043-AU07

2. Hazards identification

Statement of hazardous/dangerous nature

NON-HAZARDOUS SUBSTANCE, NON-DANGEROUS GOODS.

3. Composition/information on ingredients

This product does not contain any hazardous ingredients at or above regulated thresholds.

4. First-aid measures

Eye contact In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should

be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses.

Get medical attention if irritation occurs.

Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash

clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation

develops.

Inhalation If inhaled, remove to fresh air. Get medical attention if symptoms appear.

Ingestion Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if

symptoms occur.

5. Fire-fighting measures

Extinguishing media

Suitable In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.

Not suitable Do not use water jet.

Hazardous decomposition

products

Decomposition products may include the following materials:

carbon dioxide

carbon monoxide

Unusual fire/explosion

Special fire-fighting

hazards

procedures

In a fire or if heated, a pressure increase will occur and the container may burst.

No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.

Protection of fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus

(SCBA) with a full face-piece operated in positive pressure mode.

Accidental release measures

Personal precautions No action shall be taken involving any personal risk or without suitable training. Evacuate

surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment (see Section 8).

Environmental precautions Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

Product name Enersyn LPS-PO 68 Product code 402043-AU07

Version 3 Date of issue 24 January 2013 Format Australia Language ENGLISH
(Australia) (ENGLISH)

Large spill

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

Small spill

Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

7. Handling and storage

Handling

Put on appropriate personal protective equipment.

Storage

Store and use only in equipment/containers designed for use with this product. Keep away from heat and direct sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10).

Combustibility Classification

Combustible liquid Class C2 (AS 1940).

8. Exposure controls/personal protection

Occupational exposure limits Biological Limit Values

No exposure standard allocated. No biological limit allocated.

Exposure controls

Occupational exposure

controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective occupational exposure limits.

All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls) have been suitably evaluated. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.

Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards. The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Respiratory protection

Avoid breathing of vapours, mists or spray. Select and use respirators in accordance with AS/NZS 1715/1716. When mists or vapours exceed the exposure standards then the use of the following is recommended: Approved respirator with organic vapour and dust/mist (Type P1) filters. Filter capacity and respirator type depends on exposure level.

Skin and body

None required; however, use of protective clothing is good industrial practice.

Hand protection

Wear protective gloves if prolonged or repeated contact is likely. Wear chemical resistant gloves. Recommended: Nitrile gloves. The correct choice of protective gloves depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

Safety glasses with side shields.

Eye protection

9. Physical and chemical properties

Physical state Liquid.
Colour Amber.
Odour Mild

Flash point >150 °C (Closed cup) Pensky-Martens.

Vapour pressureNot available.Vapour densityNot available.

Viscosity Kinematic: 68 mm²/s (68 cSt) at 40°C

pH Not available.
 Boiling point / range Not available.
 Melting point / range Not available.
 Relative density/Specific Not available.

gravity

Density 830 kg/m³ (0.83 g/cm³) at 15°C

Solubility Soluble in water.

Product name Enersyn LPS-PO 68
Product code 402043-AU07
Page: 2/4
Version 3
Date of issue 24 January 2013
Format Australia
Language ENGLISH
(Australia)
(ENGLISH)

10 . Stability and reactivity

Stability The product is stable.

Conditions to avoid Avoid extreme temperatures, strong oxidizers, fire

No hazardous reactions identified.

Incompatibility with various substances/Hazardous

Reactions

Hazardous decomposition

products

Decomposition products may include the following materials:

carbon dioxide carbon monoxide

11. Toxicological information

Effects and symptoms

Unlikely to cause more than transient stinging or redness if accidental eye contact occurs. Eyes Skin Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.

Inhalation At normal ambient temperatures this product will be unlikely to present an inhalation hazard because

of its low volatility.

Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities may cause Ingestion

nausea and diarrhoea.

Chronic toxicity

Carcinogenic effects No component of this product at levels greater than or equal to 0.1% is identified as a carcinogen by

ACGIH, the International Agency for Research on Cancer (IARC), the European Commission (EC),

or the National Occupational Health and Safety Commission (Australia).

Mutagenic effects No known significant effects or critical hazards.

12. Ecological information

Ecotoxicity Not classified as environmentally hazardous in accordance with the 'Approved Criteria for Classifying

Hazardous Substances' [NOHSC (1008)/2004 as amended and adapted].

Biodegradability

Persistence/degradability The biodegradability of this material has not been determined.

13. Disposal considerations

Disposal considerations / **Waste information**

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Special Precautions for Landfill or Incineration

No additional special precautions identified.

14. Transport information

International transport regulations

Not classified as dangerous for transport (ADG, IMDG, ICAO/IATA).

Special precautions for user No known special precautions required. See Section: "Handling and storage" for additional

15. Regulatory information

Standard for the Uniform Scheduling of Medicines and Poisons

Not regulated.

Control of Scheduled Carcinogenic Substances

Ingredient name **Schedule**

No Listed Substance Other regulations

REACH Status

For the REACH status of this product please consult your company contact, as identified in Section 1.

United States inventory

(TSCA 8b)

All components are listed or exempted.

Australia inventory (AICS) All components are listed or exempted. **Canada inventory** All components are listed or exempted. China inventory (IECSC) All components are listed or exempted. Japan inventory (ENCS) All components are listed or exempted. Korea inventory (KECI) All components are listed or exempted.

Product name Enersyn LPS-PO 68 Product code 402043-AU07 Page: 3/4 Version 3 Date of issue 24 January 2013 Format Australia Language ENGLISH

(Australia) (ENGLISH)

16. Other information

Key to abbreviations

AMP = Acceptable Maximum Peak

ACGIH = American Conference of Governmental Industrial Hygienists, an agency that promulgates exposure standards.

ADG = Australian Code for the Transport of Dangerous Goods by Road and Rail ADG Code = Australian Code for the Transport of Dangerous Goods by Road and Rail

CAS Number = Chemical Abstracts Service Registry Number

HAZCHEM Code = Emergency action code of numbers and letters which gives information to emergency services. Its use is required by the ADG Code for Dangerous Goods in bulk. ICAO = International Civil Aviation Organization.

IATA = International Air Transport Association, the organization promulgating rules governing shipment of goods by air.

IMDG = International Maritime Organization Rules, rules governing shipment of goods by water.

IP 346 = A chemical screening assay for dermal toxicity. The European Commission has recommended that Method IP 346 be used as the basis for labelling certain lubricant oil base stocks for carcinogenicity. The EU Commission has stipulated that the classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346. (See Note L, European Commission Directive 67/548/EEC as amended and adapted.)

DMSO is a solvent.

NOHSC = National Occupational Health & Safety Commission, Australia

TWA = Time weighted average STEL = Short term exposure limit

UN Number = United Nations Number, a four digit number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods.

History

Date of issue 24/01/2013.

No previous validation Date of previous issue Prepared by **Product Stewardship**

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Product name Enersyn LPS-PO 68

Version 3

Date of issue 24 January 2013

Product code 402043-AU07

Page: 4/4

Format Australia Language ENGLISH

(ENGLISH) (Australia)